

September Apple

Wall Hanging

28 1/2" x 30"



Pumpkin Patch Patterns



by Beatrice Rieske

PPP028-EIN

SEPTEMBER APPLE WALL HANGING

Please read all instructions carefully before starting the project and make sure you understand each step.

MATERIALS

- 1/2 yard assorted tan scraps
- 1/8 yard assorted green scraps
- 1/4 yard assorted yellow scraps
- 1/4 yard assorted orange scraps
- 3/8 yard assorted red scraps
- one 2" black square
- three 2" brown squares
- five 2" white squares
- 3/8 yard red fabric for the binding
- 32" x 33" batting
- 35" x 36" backing fabric
- neutral-colored thread for piecing
- rotary cutter, ruler & mat
- quilting thread
- sewing machine
- general sewing supplies

FINISHED QUILT SIZE

28 1/2" x 30"

NOTE

It is recommended that fabrics be 100% cotton, pre-washed and well ironed. Requirements are based on fabric with a usable width of 40". Seam allowance is 1/4". Seam allowances are included in the cutting instructions.

CUTTING

From the tan fabric cut

- one hundred and thirty-seven 2" squares

From the green fabric cut

- twenty-eight 2" squares

From the yellow fabric cut

- fifty-one 2" squares

From the orange fabric cut

- fifty-eight 2" squares

From the red fabric cut

- ninety-seven 2" squares

From the width of the binding fabric cut

- four 2 1/4" strips

ASSEMBLY

Lay out the squares in twenty rows of nineteen squares each. Make up the horizontal rows by joining the nineteen squares together, following diagram 1. Arrows indicate in which direction seams should be pressed.

Diagram 1

Row 1



Row 2



Row 3



Row 4



Row 5



Row 6



Row 7



Row 8



Row 9



Row 10



Row 11



Row 12



Row 13



Row 14



Row 15



Row 16



Row 17



Row 18



Row 19



Row 20



Join the rows together in numerical order, starting with Row 1 at the top, matching the seams at the intersections. Press seams towards rows with even numbers.

Press quilt top well.

QUILTING

Layer the backing right side down with the batting and quilt top right side up on top. Baste the three layers together. Quilt as desired.

BINDING

Join the binding strips into one length using diagonal seams, press the seams open and press the length of binding in half with the wrong sides together. Beginning approximately halfway along one side, join the binding to the front of the quilt with a $\frac{1}{4}$ " seam, mitering each corner as you go.

Trim the batting and backing even with the edge of the quilt top. Turn the folded edge of the binding to the back of the quilt and hand-stitch it in place.

September Apple Wall Hanging

Layout



Finished square size is 1 $\frac{1}{2}$ " (this does **NOT** include seam allowances!)

Every effort has been made to ensure that the pattern contents are accurate and complete. Pumpkin Patch Patterns cannot be responsible for human error, printing errors or variations in workmanship.

All items enclosed are protected by copyright and may not be copied or reproduced without prior written consent.

All my instructions, photographs, designs, projects and patterns are intended for the personal use of the retail purchaser only. Without prior written consent they may not be used for any commercial purpose.

Copyright 2017 by Beatrice Rieske

Pumpkin Patch Patterns



by Beatrice Rieske

Chilliwack BC Canada

pumpkinpatchbc.com

beatrice@pumpkinpatchbc.com

Quilts designed with Electric Quilt Software



THE ELECTRIC
QUILT COMPANY

Software, books and printables for quilters

electricquilt.com